

SPECIES LIST

Wildflowers • Grasses • Mixes

KEY	LIGHT	Full Sun	Full Sun to Part Shade	Shade	SPECIALTY USES	Butterfly	Hummingbird	Cut Flower	Edible
	SOILS	Dry	Average	Moist Rain garden		Wetland	Medicinal	Tea	Wildlife

WILDFLOWERS

200 SEEDS/PACKET

Packet Discount: Buy 10 or more packets (mix & match) at \$2/each

SPECIALTY USE	HEIGHT	BLOOMS	LIGHT	SOILS	WILDFLOWERS	COLOR	Pkt	Ounce	Pound	COMMENTS
	24"-30"	Sep-Oct			Aster, Aromatic (<i>Aster oblongifolius</i>)		3.00	15.00	180.00	Blooms late in year even after frost; shrub-like dotted with many flowers; easy to grow in dry places
	48"-60"	Sep-Oct			Aster, New England (<i>Aster novae-angliae</i>)		3.00	22.00	270.00	Great nectar source for migrating monarchs; for compact plants, cut back before July 4th
	24"-36"	Sep-Oct			Aster, Sky Blue (<i>Aster oolentangiensis</i>)		3.00	13.00	150.00	Beautiful sky blue blooms; turkeys relish the blooms; very drought tolerant
	12"-18"	Jul-Sep			Aster, Southern Prairie (<i>Aster paludosus</i>)		3.00	-	-	Most impressive flowers of any prairie aster; short, early-blooming aster
	18"-24"	May-Jun			Beardtongue, Purple (<i>Penstemon cobaea</i>)		3.00	11.00	130.00	Bell-shaped flowers are fun for kids to wear on fingers; loves VERY dry sites
	24"-30"	Jun-Jul			Beardtongue, White (<i>Penstemon digitalis</i>)		3.00	5.00	36.00	Grows almost anywhere; establishes quickly; Penstemons are food source for penstemon bee (<i>Osmia distincta</i>)
	30"-48"	Jun-Jul			Bergamot, Wild (<i>Monarda fistulosa</i>)		3.00	11.00	135.00	Attracts a variety of pollinators; fibrous, shallow root system is great for erosion control
	12"-18"	May-Jun			Bergamot, Woodland (<i>Monarda bradburiana</i>)		3.00	39.00	-	Early bloomer with attractive bronze foliage; not invasive like some horticultural monardas
	9"-18"	May			Betony, Wood (<i>Pedicularis canadensis</i>)		3.00	23.00	288.00	One of spring's earliest grassland wildflowers; partially parasitic on other plants' roots & makes them shorter
	18"-24"	Jun-Aug			Black-eyed Susan, Common (<i>Rudbeckia hirta</i>)		3.00	4.00	23.00	Blooms 1st or 2nd year; easily reseeds itself; black-eyed susans are primary pollen source for 2 bee species
	18"-24"	Jul-Aug			Black-eyed Susan, MO (<i>Rudbeckia missouriensis</i>)		2.00	12.00	140.00	Often found on dry limestone glades; a very drought tolerant plant
	48"-60"	Aug-Sep			Black-eyed Susan, Sweet (<i>Rudbeckia subtomentosa</i>)		3.00	10.00	110.00	Big black-eyed susan with beautiful form and lots of flowers; great for rain gardens
	30"-36"	Aug-Sep			Blazing Star, Button (<i>Liatris aspera</i>)		3.00	14.00	170.00	Miniature purple and green cabbage-like buds; great nectar source for butterflies
	18"-24"	Aug-Sep			Blazing Star, Glade (<i>Liatris mucronata</i>)		3.00	20.00	250.00	Thin, narrow leaves give the appearance of a graceful, young pine tree before it blooms
	36"-42"	Jul-Aug			Blazing Star, Prairie (<i>Liatris pycnostachya</i>)		3.00	11.00	130.00	Delightful purple spikes are an icon of the prairie
	18"	Jun-Sep			Blazing Star, Squarrosa (<i>Liatris squarrosa</i>)		3.00	14.00	170.00	Short blazing star that thrives in very dry sites; the form and texture add interest in winter
	36"-42"	May-Jun			Blue Star, Shining (<i>Amsonia illustris</i>)		3.00	35.00	-	Shrub-like; shiny leaves turning yellow in fall; food for snowberry clearing sphinx moth
	36"-42"	Aug-Sep			Boneset, Common (<i>Eupatorium perfoliatum</i>)		3.00	8.00	85.00	Common in moist prairies; Native Americans considered it a cure for many aches, pains, and illnesses

WILDFLOWERS (cont.)

200 SEEDS/PACKET

Packet Discount: Buy 10 or more packets (mix & match) at \$2/each

SPECIALTY USE	HEIGHT	BLOOMS	LIGHT	SOILS	WILDFLOWERS	COLOR	Pkt	Ounce	Pound	COMMENTS
m	36"-42"	Aug-Sep			Boneset, Common (Eupatorium perfoliatum)		3.00	8.00	85.00	Common in moist prairies; Native Americans considered it a cure for many aches, pains, and illnesses
	36"-54"	Aug-Sep			Brown-eyed Susan (Rudbeckia triloba)		3.00	5.00	40.00	Petals have ultraviolet patterns that are visual cues to pollinators; seeds heads smell like citrus
	36"-48"	Jun-Jul			Bunchflower (Melanthium virginicum)		3.00	19.00	280.00	Beautiful creamy flowers on elongate candelabra-like spikes; one of our favorites
m	30"-36"	Aug-Sep			Cardinal Flower (Lobelia cardinalis)		3.00	32.00	390.00	Great for grabbing attention and hummingbirds; find a home for this short-lived perennial
	12"-18"	May			Columbine (Aquilegia canadensis)		3.00	-	-	Striking crimson flowers with yellow markings; doesn't do well in too much shade
m w	48"-72"	Jul-Aug			Compass Plant (Siphium laciniatum)		3.00	10.00	110.00	Indian children chewed the dried sap as gum; dissected leaves are oriented north/south
	30"-42"	Jun-Jul			Coneflower, Gray-headed (Ratibida pinnata)		3.00	5.00	40.00	Yellow flower petals of this easy to grow plant dance in summer breezes
m	24"-36"	May-Jun			Coneflower, Ozark (Echinacea simulata)		3.00	14.00	170.00	Dry-loving with pink petals & yellow pollen; a primary pollen source for coneflower bee (<i>Andrena helianthiformis</i>)
m	24"-30"	May-Jun			Coneflower, Pale Purple (Echinacea pallida)		3.00	9.00	90.00	Emblem of the prairie; a primary pollen source for coneflower bee (<i>Andrena helianthiformis</i>)
m	24"-36"	Jun-Sep			Coneflower, Purple (Echinacea purpurea)		3.00	5.00	30.00	Remove faded blossoms to prolong the bloom time of this shade-tolerant species
m	24"-30"	May-Jun			Coneflower, Yellow (Echinacea paradoxa)		3.00	10.00	110.00	Unusual yellow colored coneflower is a pretty partner to pale purple coneflower
m w	16"-20"	Jun			Coreopsis, Grand (Coreopsis grandiflora)		3.00	8.00	80.00	Seeds eaten by wildlife; better on mesic sites than Tickseed C; pollen source for coreopsis bee (<i>Andrena beameri</i>)
m	24"-48"	Jun-Sep			Coreopsis, Plains (Coreopsis tinctoria)		3.00	4.00	20.00	Annual with many bright flowers and inconspicuous leaves; blooms 1st year in plantings
m	18"-24"	May-Jun			Coreopsis, Tickseed (Coreopsis lanceolata)		3.00	5.00	45.00	Blooms the 2 nd year; ground cover on dry sites; primary pollen source for coreopsis bee (<i>Andrena beameri</i>)
m w	8"-12"	Jun			Goat's Rue (Tephrosia virginiana)		3.00	18.00	225.00	Legume; silvery foliage with pink & cream flowers; Tephrosia is only pollen source for <i>Megachile addenda</i> bees
m	18"-24"	Sep-Oct			Goldenrod, Gray (Solidago nemoralis)		3.00	7.00	75.00	Late bloomers with dense yellow flowers; great nectar source for migrating butterflies
m w	24"-40"	Sep-Oct			Goldenrod, Rigid (Solidago rigida)		3.00	9.00	90.00	Bright yellow flowers are delightful with blue sage; a favorite finch food
	24"-40"	Sep-Oct			Goldenrod, Savanna (Solidago petiolaris)		3.00	-	-	Beautiful goldenrod that tolerates more shade than others; great for migrating monarchs
m	20"-40"	Sep-Oct			Goldenrod, Showy (Solidago speciosa)		3.00	9.00	90.00	This brave plant blooms in the hot, late-summer lull
m	30"-36"	Aug-Sep			Gum Weed, Curly Cup (Grindelia lanceolata)		3.00	6.00	60.00	Primary pollen source & a resin source for nest-making for the grindelia bee endemic Interior Highlands
	18"-30"	May-Jun			Hyacinth, Prairie (Camassia angusta)		2.00	15.00	190.00	Early bloomers that grow between larger plants and fade from view as summer progresses
	9"-12"	Apr-May			Hyacinth, Wild (Camassia scilloides)		3.00			Dry-loving, beautiful hyacinth remains short and blooms very early
m w	24"-36"	Jul			Illinois Bundleflower (Desmanthus illinoensis)		3.00	5.00	25.00	Uniquely shaped seed pods of this legume are great wildlife food
	12"-18"	May			Indian Paintbrush (Castilleja coccinea)		3.00	32.00	390.00	Spring wetness, summer dryness, and late-summer mowing favor this hard-to-grow species
w	60"-100"	May-Jun			Indigo Bush (Amorpha fruticosa)		3.00	8.00	80.00	Quail use thickets as covey headquarters; silver spotted skipper host plant; 2 bee species depend on <i>Amorpha</i> spp.
	24"-36"	May			Indigo, Blue (Baptisia australis)		3.00	9.00	95.00	Ball-shaped plant can be used as a shrub; indigos host the wild indigo dusky wing butterflies
	48"-60"	Jun-Jul			Indigo, White (Baptisia leucantha)		3.00	9.00	95.00	Two foot spike blooms white then black seed pods add interest to winter landscape
m w	18"-24"	Jun-Jul			Leadplant (Amorpha canescens)		3.00	7.00	75.00	Purple flower spikes with bright orange stamens atop silvery foliage; 2 bee species depend on <i>Amorpha</i> spp.
m w	24"-36"	Aug-Sep			Lespedeza, Roundhead (Lespedeza capitata)		3.00	11.00	120.00	Great wildlife plant; dark brown seed heads remain showy into winter and are good dried flowers
w	18"-24"	Aug-Sep			Lespedeza, Slender (Lespedeza virginica)		3.00	5.00	50.00	This legume retains its seed above snow making it a good wildlife survival food
m	18"-24"	Jun-Jul			Milkweed, Butterfly (Asclepias tuberosa)		3.00	35.00	ask	Host plant for monarch and other caterpillars; pretty partner with rattlesnake master
m w	18"-24"	Jun			New Jersey Tea (Ceanothus americanus)		3.00	38.00	-	After Boston Tea Party, colonists used leaves for tea; deer & turkey eat leaves; plant "fixes" nitrogen
	12"-18"	Jul-Nov			Onion, Glade (Allium stellatum)		3.00	-	-	The surprise lilly of wildflowers; unassuming foliage and a bright pink ball of flowers in the fall

WILDFLOWERS (cont.)

200 SEEDS/PACKET

Packet Discount: Buy 10 or more packets (mix & match) at \$2/each

	20"-26"	Jul-Aug			Parsley, Prairie (Polytaenia nuttallii)		3.00	16.00	195.00	Blooms early with Indian Paintbrush and Sampson's Snakeroot; tallest flower on prairies & glades at that time
w	8"-18"	Aug			Partridge Pea (Chamaecrista fasciculata)		3.00	4.00	16.00	Blooms the 1st year in plantings; great wildlife food; host for sulphur butterflies; fixes nitrogen
	18"-30"	Jun-Jul			Phlox, Marsh (Phlox glaberrima)		3.00	15.00	190.00	Beautiful flower that only grows in moist soils; great butterfly & hummingbird plant
	8"-12"	May-Aug			Pink, Rock (Talinum calycinum)		3.00	40.00	-	Loves a rock pile; won't tolerate competition; long bloom time
	36"-48"	Jun-Aug			Poppy Mallow, Fringed (Callirhoe digitata)		3.00	-	-	Magenta flowers appear to float in the air because the leaves are basal
m	12"-24"	Jun-Jul			Poppy Mallow, Purple (Callirhoe involucrata)		3.00	13.00	160.00	Plant in bunches for best effect; deadhead tickseed coreopsis for a striking combination
m	18"-24"	Jun			Prairie Clover, Purple (Dalea purpureum)		3.00	5.00	35.00	Legume with attractive, fern-like foliage topped with unique purple flowers
m	18"-24"	Jun-Jul			Prairie Clover, White (Dalea candidum)		3.00	11.00	115.00	White flowers, larger leaves, and taller plants distinguish this from purple prairie clover
	48"-72"	Aug-Sep			Prairie Dock (Silphium terebinthinaceum)		3.00	15.00	190.00	Enormous leaves can be used to shade garden transplants
	9"	May-Jul			Primrose, Missouri (Oenothera macrocarpa)		3.00	15.00	175.00	Flower opens at dusk & is pollinated by sphinx moths; Primroses are only pollen source for 2 bee species
m	18"-24"	Jun-Jul			Quinine, Wild (Parthenium integrifolium)		3.00	7.00	70.00	With a long bloom time, it is good paired with other June and July bloomers
m	24"-36"	Jul-Aug			Rattlesnake Master (Eryngium yuccifolium)		3.00	7.00	70.00	Yucca-like leaves are reminiscent of the Southwest and can be used to make cordage
m	12"-30"	Jun-Jul			Rose, Prairie (Rosa spp)		3.00	13.00	155.00	Fragrant flowers; the attractive red hips are high in Vitamin C and can be used in tea
w	30"-42"	Jul-Aug			Rosin Weed (Silphium integrifolium)		3.00	10.00	110.00	Sunflower-like flowers; one of nature's natural bird seed producers
	24"-30"	Jul-Aug			Royal Catchfly (Silene regia)		3.00	28.00	350.00	Plant this hummingbird magnet where you can watch the ruby-throated hummingbirds
	30"-42"	Aug-Sep			Sage, Blue (Salvia azurea)		3.00	16.00	200.00	Primary pollen source for salvia bee in Great Plains; pretty with rigid goldenrod & sweet black-eyed susan
	12"-16"	May-Jun			Sampson's Snakeroot (Orbexilum pendunculatum)		3.00	8.00	85.00	Legume; tolerates variety of shade and soils; psoralaeae bee collects pollen only from this genus & Psoralidium
	24"-30"	May-Jun			Scurfy Pea (Psoralidium tenuiflorum)		3.00	13.00	160.00	Delightful dusty-purple flowers on this legume are a must for the Anthidium psoralaeae bee
	12"-36"	Jun-Aug			Seed Box (Ludwigia alternifolia)		3.00	12.00	140.00	Unique squarish seed pods, reddish foliage and four-petaled yellow flowers
m	36"-48"	Jul-Aug			Senna, Wild (Senna marilandica)		3.00	7.00	75.00	Eaten by caterpillars of sleepy orange and silver-spotted skipper butterflies; seeds eaten by wildlife
	12"-16"	May			Shooting Star (Dodecatheon meadia)		3.00	32.00	390.00	Blooms in spring and fades from the scene
m	30"-36"	Jun-Sep			Skullcap, Downy (Scutellaria incana)		3.00	22.00	-	Pretty partner to royal catchfly; pretty in rain gardens; tolerates partial shade
m	24"-30"	Jul-Aug			Slender Mtn Mint (Pycnanthemum tenuifolium)		3.00	5.00	50.00	Pleasant mint smell; good in tea; slow spreading
	24"-36"	Jun-Jul			Spiderwort, Ohio (Tradescatia ohioensis)		3.00	13.00	150.00	Delightful addition to plantings; prolific in flower beds
w	30"-36"	Aug			Sunflower, Ashy (Helianthus mollis)		3.00	8.00	80.00	Spreads by underground stems making it good for erosion control; bird seed
w	60"-108"	Aug-Sep			Sunflower, Maximilian (Helianthus maximilianii)		3.00	5.00	40.00	Great wildlife plant with large, nutritious seeds
w	36"-48"	Jun-Sep			Sunflower, Ox-eye (Heliopsis helianthoides)		3.00	5.00	40.00	Long bloom time; pretty with purple flowers; not as aggressive as true sunflowers
w	36"-48"	Aug-Sep			Sunflower, Tickseed (Bidens aristosa)		3.00	5.00	26.00	Flowers as bright as the sun; moist habitats; quail, ducks, and songbirds eat seeds; rabbits eat plants
w	48"-72"	Aug-Sep			Sunflower, Willowleaf (Helianthus salicifolius)		3.00	8.00	80.00	Graceful, willowy foliage looks best when planted on dry sites; bird seed
m	60"-72"	Jul-Sep			Vervain, Blue (Verbena hastata)		3.00	6.00	60.00	Tall plant suited best to moist sites in meadow plantings
w	36"-54"	May-Sep			Wingstem, Yellow (Verbesina helianthoides)		3.00	7.00	75.00	Quail, songbirds, and small mammals eat seeds; pretty in plantings

KEY

LIGHT Full Sun Full Sun to Part Shade Shade

SOILS Dry Average Moist Rain garden Wetland

SPECIALTY USES Butterfly Hummingbird Cut Flower Edible

Medicinal Tea Wildlife Landscaping

GRASSES

200 SEEDS/PACKET

Packet Discount: Buy 10 or more packets (mix & match) at \$2/each

SPECIALTY USE	HEIGHT	BLOOMS	LIGHT	SOILS	GRASSES AND GRASS-LIKE	COLOR	Pkt	Ounce	Pound	COMMENTS
	16"-22"	Apr-May			Bentgrass, Winter (<i>Agrostis hyemalis</i>) PLS		3.00	7.00	70.00	Airy pink seedheads are most attractive in dense stands
	60"-72"	Jul-Aug			Big Bluestem (<i>Andropogon gerardii</i>) PLS		3.00	4.00	14.00	MO state grass; attractive with tall wildflowers; good wildlife habitat and food for 3 caterpillars
	24"-36"	Aug-Sep			Broomsedge (<i>Andropogon virginica</i>) PLS		3.00	5.00	47.00	Beautiful orange winter color; short companion grass tolerating a wide variety of soils
	4"-8"	Jul-Aug			Buffalograss (<i>Buchloe dactyloides</i>) PLS		3.00	4.00	16.00	Low-growing grass that loves dry sites and foot traffic; often planted in lawns
	12"-18"	Aug-Sep			Dropseed, Prairie (<i>Sporobolus heterolepis</i>) PLS		3.00	8.00	85.00	Attractive, fine, fountain-like foliage; great plant for formal borders
	24"-36"	Aug			Dropseed, Tall (<i>Sporobolus compositus</i>) PLS		3.00	4.00	16.00	Spike-like, erect plants with tan winter color; drought-resistant, warm-season grass
	48"-60"	Jun-Jul			Eastern Gamagrass (<i>Tripsacum dactyloides</i>) PLS		3.00	4.00	18.00	Large grass suitable for wildlife cover and forage; host of the golden byssus butterfly
	48"-60"	Aug-Sep			Indiangrass (<i>Sorghastrum nutans</i>) PLS		3.00	4.00	12.00	Establishes quickly in plantings; golden plume-like seedhead
	24"-36"	Aug-Sep			Little Bluestem (<i>Schizachyrium scoparium</i>) PLS		3.00	4.00	16.00	Bronze-orange winter color with silvery seeds; great for wildlife plantings
	16"-30"	May-Aug			Nutgrass, Tall (<i>Schleria triglomerata</i>) PLS		3.00	9.00	90.00	Small, inconspicuous plant in sedge family; seeds are good quail food
	24"-36"	Jul			Panicgrass, Beaked (<i>Panicum anceps</i>) PLS		3.00	4.00	10.00	Relatively short grass typically inhabiting moist areas
	3"-6"	Jun			Poverty Grass (<i>Danthonia spicata</i>)		3.00	5.00	50.00	Short grass grows well on dry, rocky, poor soils; great in dry lawns with full sun or partial shade
	30"-48"	Aug-Sep			Purple Top (<i>Tridens flavus</i>) PLS		3.00	4.00	13.00	Fine, purple seedheads; establishes quickly in plantings; seeds are wildlife food
	18"-24"	Jul-Aug			River Oats (<i>Chasmanthium latifolium</i>) PLS		3.00	4.00	19.00	Flattened, arching seedheads are pretty dried; seeds are wildlife food; good soil stabilizer
	12"-18"	May-Aug			Rush, Beaked (<i>Rhynchospora globularis</i>) PLS		3.00	9.00	90.00	Plant in the sedge family is a desirable component of wet prairie meadows
	18"-24"	Jul-Sep			Sideoats Grama (<i>Bouteloua curtipendula</i>) PLS		3.00	4.00	15.00	Establishes quickly in plantings and, being short, it shows off wildflowers
	48"-120"	Sep-Oct			Silver Plume Grass (<i>Erianthus alopecuroides</i>)		3.00	7.00	75.00	Beautiful, tall grass with large silvery seedheads; loves dry sites and tolerates partial shade
	24"-30"	Sep-Oct			Split Beard (<i>Andropogon ternarius</i>) PLS		3.00	4.00	21.00	Silvery-white seedheads impart superb fall and winter color; great in dried bouquets
	48"-60"	Jul-Aug			Switchgrass (<i>Panicum virgatum</i>) PLS		3.00	4.00	11.00	Rusty-red winter color and fine seedheads that attractively collect frost
	36"-48"	Jun-Jul			Wild Rye, Canada (<i>Elymus canadensis</i>) PLS		3.00	4.00	14.00	Nodding head with recurved awns persist into winter; leaves are good winter wildlife food
	36"-48"	Jun-Jul			Wild Rye, Virginia (<i>Elymus virginicus</i>) PLS		3.00	4.00	12.00	Green leaves are a good winter wildlife food; establishes quickly in plantings

CASH PRICES Listed prices are cash prices (cash/check); they are discounted 3%.

FREE MEMBERSHIP TO MISSOURI PRAIRIE FOUNDATION WITH AN ORDER OF \$1000 OR MORE! If your order qualifies, indicate your interest on the order form or mention it when you call in your order.

Conserving Prairie Wildlife for 46 Years



Join the Missouri Prairie Foundation and help conserve one of the Earth's richest ecosystems—right here in Missouri. Since 1966, the Missouri Prairie Foundation has advocated for prairie protection and now manages nearly 4,000 acres of prairie across the state. Members receive the *Missouri Prairie Journal* and invitations to prairie hikes, campouts and other events.



To join, send \$35 to Missouri Prairie Foundation membership, c/o Martinsburg Bank, P.O. Box 856, Mexico, MO 65265-0856 or visit www.moprairie.org.



QUANTITY DISCOUNTS AVAILABLE!

PLS PRICES AVAILABLE

Call for discount & PLS price info